

**BEST AVAILABLE COPY**

Appn. Ser. No.: 10/050,733  
Atty Docket No.: 01-1521  
Customer No.: 32127

**LISTING OF THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the present application. Additions to existing claims are identified by underlining. Deletions to existing claims are indicated by ~~striking through~~ or [[double brackets]].

1. (Currently Amended) A method of servicing a telephone call directed to an Internet Protocol telephony device coupled to an Internet Protocol network, the telephone call being placed from a telephone device coupled to a public telephone network by dialing a first telephone number associated with the Internet Protocol telephony device, the method comprising the steps of:

activating a local number portability trigger set at a first telephone switch included in said public telephone network, the local number portability trigger being responsive to calls received by said first telephone switch directed to said first telephone number;

pausing call processing at said first telephone switch in response to activation of said local number portability trigger;

accessing a local number portability database to obtain a number associated with a second telephone switch included in the public telephone network;

activating a second trigger set at the second telephone switch, the second trigger being responsive to calls received by said second telephone switch directed to said first telephone number;

accessing a database maintained in said Internet Protocol network to obtain there from information associated with the first telephone number; and

controlling completion of said call by said second telephone switch as a function of the information obtained from said Internet Protocol network database.

2. (Currently Amended) The method of claim 1,  
wherein the obtained information includes call forwarding information; and

Appn. Ser. No.: 10/050,733  
 Atty Docket No.: 01-1521  
 Customer No.: 32127

wherein the step of controlling completion of said call includes operating said second telephone switch to route said call using a second telephone number included in the obtained information.

3. (Original) The method of claim 1, wherein the obtained information includes call forwarding information.
4. (Currently Amended) The method of claim 3,  
 wherein the obtained information includes an Internet Protocol address; and  
 wherein the step of controlling completion of said call includes operating said second ~~first~~ telephone switch ~~call~~ to route said call using the IP address included in the obtained information.
5. (Currently Amended) The method of claim 4,  
 wherein the obtained information includes call screening information; and  
 wherein the step of controlling completion of said call includes terminating said call without completing it to said first telephone number when said call screening information indicates that the call will not be completed successfully by the Internet Protocol network to the Internet telephony device corresponding to the first telephone ~~called~~ number.
6. (Original) The method of claim 5, wherein the call screening information includes bandwidth information.
7. (Original) The method of claim 5, wherein the call screening information includes language information.
8. (Original) The method of claim 5, wherein the call screening information includes calling party telephone number information.

**BEST AVAILABLE COPY**

Appn. Ser. No.: 10/050,733  
Atty Docket No.: 01-1521  
Customer No.: 32127

9. (Currently Amended) The method of claim 1, wherein said second trigger is an advanced intelligent network trigger, the method further comprising the step of:  
    pausing call processing at said second telephone switch following activation of said second trigger; and  
    sending a message to a service control point located in said public ~~switched~~ telephone network, the service control point performing said accessing of the Internet Protocol network database step.
10. (Currently Amended) The method of claim 9, wherein the step of accessing said Internet Protocol network database includes:  
    using Session Initiation Protocol (SIP) to contact a device in said Internet Protocol network which is responsible for retrieving information from said Internet Protocol network database.
11. (Currently Amended) The method of claim 10, wherein said second telephone switch is a gateway switch which interconnects said public telephone network with the Internet Protocol network, the method further comprising, for calls completed to said Internet Protocol telephony device:  
    operating the gateway switch to generate Internet Protocol packets corresponding to said telephone call; and  
    transmitting said generated Internet Protocol packets to the Internet Protocol network for delivery to said Internet Protocol telephony device.
12. (Currently Amended) The method of claim 9, wherein the step of accessing said Internet Protocol network database includes:  
    using Enum to contact a device in said Internet Protocol network which is responsible for retrieving information from said Internet Protocol network database.
13. (Original) The method of claim 12, wherein said device in said Internet Protocol network which is contacted is a domain name server.

Appn. Ser. No.: 10/050,733  
Atty Docket No.: 01-1521  
Customer No.: 32127

14. (Currently Amended) The method of claim 1, wherein the step of accessing said Internet Protocol network database includes:

using Session Initiation Protocol (SIP) to contact a device in said Internet Protocol network which is responsible for retrieving information from said Internet Protocol network database.

15. (Currently Amended) The method of claim 1, wherein the step of accessing said Internet Protocol network database includes:

using ~~Session Initiation Protocol~~ ENUM to contact a device in said Internet Protocol network which is responsible for retrieving information from said Internet Protocol network database.

16.-22. (Cancelled)

23. (New) A method of forwarding a call from a calling party to a called party via an Internet Protocol (IP) network where the called party is associated with a called party telephone number and the calling party is associated with a calling party telephone number, comprising:

receiving at a second service switching point (SSP) a call routing message from a first SSP, the call routing message having a telephone number of the second SSP in a called party field of the call routing message and the called party telephone number in another field of the call routing message;

determining that the called party telephone number is associated with a device connected to the IP network;

forwarding the call to a switching device connected to the second SSP, the switching device also connected to the IP network, including the called party telephone number;

determining a called party IP network address based on the called party telephone number;

converting the call to a plurality of IP packets;

directing the plurality of IP packets to the called party IP address.

Appn. Ser. No.: 10/050,733  
 Atty Docket No.: 01-1521  
 Customer No.: 32127

24. (New) The method of claim 23, further comprising:  
 receiving a call request for the call at the first SSP, including receiving the called party telephone number;  
 determining that a local number portability trigger has been set at the first SSP that is applicable to the calling party telephone number;  
 transmitting a call processing message to a first SCP;  
 retrieving a local routing number associated with the called party telephone number, the local routing number comprising the telephone number of the second SSP;  
 transmitting a call control message to the first SSP, the call control message including the local routing number and the called party telephone number;  
 routing the call to the second SSP.
25. (New) The method of claim 23, further comprising:  
 determining that a trigger has been set at the second SSP that is applicable to the called party telephone number;  
 transmitting a call processing message to a second SCP, the call processing message including the called party telephone number;  
 determining whether one or more AIN services are associated with the called party telephone number and performing said one or more AIN services;  
 transmitting a call control message to the second SSP instructing the second SSP to complete the call.
26. (New) The method of claim 25, further comprising:  
 sending a first SIP message to a device in the IP network and including the called party telephone number, and receiving a second SIP message in response to the first SIP message, the second SIP message including at least one of call routing information, bandwidth information, and screening information.
27. (New) The method of claim 25, further comprising:

Appn. Ser. No.: 10/050,733  
Atty Docket No.: 01-1521  
Customer No.: 32127

sending a first ENUM message to a device in the IP network and including the called party telephone number, and receiving a second ENUM message in response to the first ENUM message, the second ENUM message including at least one of call routing information, bandwidth information, and screening information.

28. (New) A method of forwarding a call from a calling party to a called party via an Internet Protocol (IP) network where the called party is associated with a called party telephone number and the calling party is associated with a calling party telephone number, comprising:

- receiving at a device in the IP network a call request associated with the call, the call request including the called party telephone number;
- determining routing information for the call based on the called party telephone number, wherein the routing information indicates a gateway to a circuit-switched telephone network;
- sending a call routing message to the gateway, the call routing message having the calling party telephone number located in a called party number field of the call routing message, and the called party telephone number located in a another field of the call routing message;
- receiving the call routing message at the gateway;
- activating a trigger based on the called party number field;
- determining that the call originated from the IP network based on the calling party telephone number;
- determining a billing location associated with the calling party telephone number and sending a billing instruction to a billing location;
- retrieving the called party telephone number from the another field of the call routing message; and
- routing the call to the called party telephone number via a switch in the circuit-switched telephone network.